

Message

From: [Nonresponsive based on revised scope]@erllc.com]
Sent: 1/22/2020 5:03:29 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: [EXT]Re: Shiloh Church Road / 3-5467[3080675]

Duh!!

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: "Wagner, Christine" <Wagner.Christine@epa.gov>
Date: 1/22/20 11:15 (GMT-05:00)
To: [Nonresponsive based on revised scope]@erllc.com>
Subject: [EXT]Re: Shiloh Church Road / 3-5467[3080675]

CAUTION This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

[Nonresponsive based on revised scope]

The sample for 8 went to ALS for PCB analysis also, but the PCB result is not included in this report. (see CoC) Can you or Deb please check with ALS to see if this is coming separately?

Thank you
Chris

> On Jan 22, 2020, at 5:36 AM, [Nonresponsive based on revised scope] com> wrote:

>
> See attached lab data on mound areas and pile 8.
> Did START do PCB testing on pile 8?

>
> [Nonresponsive based on revised scope]
>

> -----Original Message-----

> **From:** [Nonresponsive based on revised scope]@alsglobal.com [Nonresponsive based on revised scope]@alsglobal.com>
> **Sent:** Tuesday, January 21, 2020 10:23 PM
> **To:** [Nonresponsive based on revised scope]@erllc.com>
> **Subject:** Shiloh Church Road / 3-5467[3080675]

> The following reports are attached:

> WO 3080675 , work ID Shiloh Church Road / 3-5467 []

> --- End Of List ---

>
>
> Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.
> <3080675_935725_fr.PDF>